ELSEVIER

Neuroscience Letters 310 (2001) 195–197

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 310

Adams, E.F., see Sarubi, J.C., 5
Aftanas, L.I., Golocheikine, S.A., Human anterior and frontal midline theta and lower alpha reflect emotionally positive state and internalized attention: high-resolution EEG investigation of meditation, 57
Aït Amara, D., Segu, L., Buhot, M.-C., Region-specific decrease in 5-HT_{1A} and 5-HT_{1B} binding sites after intra-hippocampal ibotenic acid injections in the rat, 25
Akamatsu, N., Fueta, Y., Endo, Y., Matsunaga, K., Uozumi, T., Tsuji, S., Decreased susceptibility to pentylenetetrazol-induced seizures after low-frequency transcranial magnetic stimulation in rats, 153
Akerstrom, V., see Kastin, A.J., 69
Alku, P., see Huotilainen, M., 133
Aloisi, A.M., Della Seta, D., Ceccarelli, I., Farabollini, F., Bisphenol-A differently affects estrogen receptors-α in estrous-cycling and lactating female rats, 49
Ando, R., see Takagi, T., 97
Araújo, D.A.M., see Mafra, R.A., 85

Baba, M., see Ozaki, I., 41
Barattucci, M., see Ferrara, M., 145
Beach, T.G., Kuo, Y.-M., Schwab, C., Walker, D.G., Roher, A.E., Reduction of cortical amyloid β levels in guinea pig brain after systemic administration of physostigmine, 21
Bei, H., see Sarubi, J.C., 5
Beirão, P.S.L., see Mafra, R.A., 85
Bertini, M., see Ferrara, M., 145
Bonsi, P., see Miniaci, M.C., 61
Boson, W.L., see Sarubi, J.C., 5
Brain, S.D., see Chu, D.Q., 169
Brandão, K., see Sarubi, J.C., 5
Brinkhoff, J., see Schäfers, M., 113
Buhot, M.-C., see Aït Amara, D., 25
Bungo, T., see Takagi, T., 97

Capaday, C., see Schneider, C., 183
Carlton, S.M., Coggeshall, R.E., Peripheral capsaicin receptors increase in the inflamed rat hindpaw: a possible mechanism for peripheral sensitization, 53
Ceccarelli, I., see Aloisi, A.M., 49
Chai, C.Y., see Wu, W.C., 121
Choi, J.-S., see Min, D.S., 125
Chong, Z.Z., see Lin, S.-H., 173
Chu, D.Q., Legon, S., Smith, D.M., Costa, S.K.P., Cuttitta, F., Brain, S.D., The calcitonin gene-related peptide (CGRP) antagonist $CGRP_{8-37}$ blocks vasodilatation in inflamed rat skin: involvement of adrenomedullin in addition to CGRP, 169
Chun, M.-H., see Min, D.S., 125
Chung, J.-W., see Min, D.S., 125
Coggeshall, R.E., see Carlton, S.M., 53
Costa, S.K.P., see Chu, D.Q., 169
Cruz, J.S., see Mafra, R.A., 85
Curcio, G., see Ferrara, M., 145
Cuttitta, F., see Chu, D.Q., 169

De Gennaro, L., see Ferrara, M., 145
De Jesus, N., see Ho, L., 1
De Marco, L., see Sarubi, J.C., 5
de Tommaso, M., Libro, G., Guido, M., Sciruicchio, V., Puca, F., The blink reflex and the corneal reflex are followed by cortical activity resembling the nociceptive potentials induced by trigeminal laser stimulation in man, 37
Della Seta, D., see Aloisi, A.M., 49
Deniskina, N.V., Levik, Y.S., Relative contribution of ankle and hip muscles in regulation of the human orthograde posture in a frontal plane, 165
Dobashi, E., see Takagi, T., 97
Doppelmayr, M., see Röhm, D., 137
Duelli, R., Maurer, M.H., Staudt, R., Sokoloff, L., Kuschinsky, W., Correlation between local glucose transporter densities and local 3-*O*-methylglucose transport in rat brain, 101

Endo, Y., see Akamatsu, N., 153
Epplen, J.T., see Krüger, R., 191

Farabollini, F., see Aloisi, A.M., 49
Ferlazzo, F., see Ferrara, M., 145
Fernanda Rubio, M., see Naum O., G., 178
Ferrara, M., De Gennaro, L., Ferlazzo, F., Curcio, G., Barattucci, M., Bertini, M., Auditory evoked responses upon awakening from sleep in human subjects, 145
Friedman, E., see Sarubi, J.C., 5
Fueta, Y., see Akamatsu, N., 153
Fujiki, N., see Morita, H., 129
Furuse, M., see Takagi, T., 97

Gale, K., see Kondratyev, A., 13
Gilad, G.M., Kagan, H.M., Gilad, V.H., Lysyl oxidase, the extracellular matrix-forming enzyme, in rat brain injury sites, 45
Gilad, V.H., see Gilad, G.M., 45
Golocheikine, S.A., see Aftanas, L.I., 57
Golombek, D.A., see Naum O., G., 178
Gotoh, T., see Kawahara, K., 89
Grant, E.R., Guttmann, R.P., Seifert, K.M., Lynch, D.R., A region of the *N*-methyl-D-aspartate receptor 2A subunit that is sufficient for potentiation by phorbol esters, 9
Guido, M., see de Tommaso, M., 37
Guttmann, R.P., see Grant, E.R., 9

Haider, H., see Röhm, D., 137
Hasegawa, T., see Kihara, M., 81

PII: S0304-3940(01)0229-7

Hashimoto, I., see Ozaki, I., 41
Hausmann, A., Marksteiner, J., Hinterhuber, H., Humpel, C., Magnetic stimulation induces neuronal c-fos via tetrodotoxin-sensitive sodium channels in organotypic cortex brain slices of the rat, 105
Hinterhuber, H., see Hausmann, A., 105
Ho, L., Xiang, Z., Mukherjee, P., Zhang, W., De Jesus, N., Mirjany, M., Yemul, S., Pasinetti, G.M., Gene expression profiling of the *tau* mutant (P301L) transgenic mouse brain, 1
Hori, H., see Ohmori, O., 17
Humpel, C., see Hausmann, A., 105
Huotilainen, M., Kujala, A., Alku, P., Long-term memory traces facilitate short-term memory trace formation in audition in humans, 133
Hussain-Yusuf, H., see Takagi, T., 97

Ilmoniemi, R.J., see Pihko, E., 33
Ishihara, K., Sasa, M., Corrigendum to "Potentiation of 5-HT_3 receptor functions in the hippocampal CA1 region of rats following repeated electroconvulsive shock treatments" [Neurosci. Lett. 307 (1941) 37–40], 194

Kagan, H.M., see Gilad, G.M., 45
Kalapothakis, E., see Sarubi, J.C., 5
Kaneda, M., see Satoh, H., 161
Kaneko, A., see Satoh, H., 161
Kaneko, T., see Li, J.-L., 109
Kang, J.H., see Kang, T.-C., 29
Kang, T.-C., Kim, H.S., Seo, M.-O., Park, S.-K., Kwon, H.Y., Kang, J.H., Won, M.H., The changes in the expressions of γ-aminobutyric acid transporters in the gerbil hippocampal complex following spontaneous seizure, 29
Kastin, A.J., Akerstrom, V., Maness, L.M., Chronic loss of ovarian function decreases transport of leptin into mouse brain, 69
Kawahara, K., Gotoh, T., Oyadomari, S., Kuniyasu, A., Kohsaka, S., Mori, M., Nakayama, H., Nitric oxide inhibits the proliferation of murine microglial MG5 cells by a mechanism involving p21 but independent of p53 and cyclic guanosine monophosphate, 89
Kawamura, I., see Kihara, M., 81
Kihara, M., Mitsui, Y., Shioyama, M., Hasegawa, T., Takahashi, M., Takakura, S., Minoura, K., Kawamura, I., Effect of zenarestat, an aldose reductase inhibitor, on endoneurial blood flow in experimental diabetic neuropathy of rat, 81
Kim, H.S., see Kang, T.-C., 29
Kim, S.H., Lubec, G., Brain α-endosulfine is manifold decreased in brains from patients with Alzheimer's disease: a tentative marker and drug target?, 77
Kimura, T., see Ozaki, I., 41
Kiyohara, T., see Nakashima, T., 141
Klimesch, W., see Röhm, D., 137
Kohsaka, S., see Kawahara, K., 89
Kondratyev, A., Gale, K., Temporal and spatial patterns of DNA fragmentation following focally or systemically-evoked status epilepticus in rats, 13
Kotchoubey, B., Lang, S., Event-related potentials in an auditory semantic oddball task in humans, 93
Križanová, O., see Kubovčákova, L., 157
Krüger, R., Schöls, L., Müller, T., Kuhn, W., Woitalla, D., Przuntek, H., Epplen, J.T., Riess, O., Evaluation of the γ-synuclein gene in German Parkinson's disease patients, 191
Kubovčákova, L., Mičutková, L., Sabban, E.L., Križanová, O., Kvetňanský, R., Identification of tyrosine hydroxylase gene expression in rat spleen, 157
Kuhn, W., see Krüger, R., 191
Kujala, A., see Huotilainen, M., 133
Kuniyasu, A., see Kawahara, K., 89
Kuno, S., see Mizuta, I., 117
Kuo, Y.-M., see Beach, T.G., 21
Kuschinsky, W., see Duelli, R., 101
Kvetňanský, R., see Kubovčákova, L., 157
Kwon, H.Y., see Kang, T.-C., 29

Lang, S., see Kotchoubey, B., 93
Lee, M.-Y., see Min, D.S., 125
Legon, S., see Chu, D.Q., 169
Levik, Y.S., see Deniskina, N.V., 165
Li, J.-L., Kaneko, T., Mizuno, N., Colocalization of neuronal nitric oxide synthase and neurokinin-1 receptor in striatal interneurons in the rat, 109
Libro, G., see de Tommaso, M., 37
Lin, S.-H., Chong, Z.Z., Maiese, K., Cell cycle induction in post-mitotic neurons proceeds in concert with the initial phase of programmed cell death in rat, 173
Lubec, G., see Kim, S.H., 77
Lynch, D.R., see Grant, E.R., 9

Mäkelä, A.M., see Pihko, E., 33
Mäkinen, V., see Pihko, E., 33
Mafra, R.A., Araújo, D.A.M., Beirão, P.S.L., Cruz, J.S., Glutamate transport in rat cerebellar granule cells is impaired by inorganic epileptogenic agents, 85
Maiese, K., see Lin, S.-H., 173
Maness, L.M., see Kastin, A.J., 69
Maneuf, Y.P., McKnight, A.T., Calcitonin gene-related peptide-mediated increase in K^+-induced [^{3}H]-dopamine release from rat caudal striatal slices, 73
Marksteiner, J., see Hausmann, A., 105
Marziniak, M., see Schäfers, M., 113
Matsunaga, K., see Akamatsu, N., 153
Matsunaga, M., see Ozaki, I., 41
Maurer, M.H., see Duelli, R., 101
McKnight, A.T., see Maneuf, Y.P., 73
Mičutková, L., see Kubovčákova, L., 157
Min, D.S., Choi, J.-S., Chun, M.-H., Chung, J.-W., Lee, M.-Y., Transient expression of phospholipase D1 in developing rat hippocampus, 125
Miniaci, M.C., Bonsi, P., Tempia, F., Strata, P., Pisani, A., Presynaptic modulation by group III metabotropic glutamate receptors (mGluRs) of the excitatory postsynaptic potential mediated by mGluR1 in rat cerebellar Purkinje cells, 61
Minoura, K., see Kihara, M., 81
Miranda, D., see Sarubi, J.C., 5
Mirjany, M., see Ho, L., 1
Mitsui, Y., see Kihara, M., 81
Miyahara, T., see Morita, H., 129
Miyata, H., Wada, N., Denervation causes changes in electrophysiological properties in rat phrenic motoneurons, 149
Miyata, S., see Nakashima, T., 141
Mizoguchi, H., Wu, H.-E., Narita, M., Partial agonistic action of endomorphins in the mouse spinal cord, 66
Mizuno, N., see Li, J.-L., 109
Mizuta, E., see Mizuta, I., 117
Mizuta, I., Ohta, M., Ohta, K., Nishimura, M., Mizuta, E., Kuno, S., Riluzole stimulates nerve growth factor, brain-derived neurotrophic factor and glial cell line-derived neurotrophic factor synthesis in cultured mouse astrocytes, 117

Mori, M., see Kawahara, K., 89
Morita, H., Tanaka, K., Tsuchiya, Y., Miyahara, T., Fujiki, N., Response of renal sympathetic nerve activity to parabolic flight-induced gravitational change in conscious rats, 129
Mukherjee, P., see Ho, L., 1
Müller, T., see Krüger, R., 191

Nakamura, J., see Ohmori, O., 17
Nakashima, T., Yoshida, Y., Miyata, S., Kiyohara, T., Hypothalamic 11,12-epoxyeicosatrienoic acid attenuates fever induced by central interleukin-1β in the rat, 141
Nakayama, H., see Kawahara, K., 89
Narita, M., see Mizoguchi, H., 66
Naum O., G., Fernanda Rubio, M., Golombek, D.A., Rhythmic variation in γ-aminobutyric $acid_A$-receptor subunit composition in the circadian system and median eminence of Syrian hamsters, 178
Neukirchen, S., see Schäfers, M., 113
Nikouline, V.V., see Pihko, E., 33
Nishimura, M., see Mizuta, I., 117

Ohgushi, A., see Takagi, T., 97
Ohmori, O., Shinkai, T., Hori, H., Nakamura, J., Novel polymorphism in the 5′-upstream region of the human 5-HT_6 receptor gene and schizophrenia, 17
Ohta, K., see Mizuta, I., 117
Ohta, M., see Mizuta, I., 117
Onodera, R., see Takagi, T., 97
Oyadomari, S., see Kawahara, K., 89
Ozaki, I., Yaegashi, Y., Kimura, T., Baba, M., Matsunaga, M., Hashimoto, I., Dipole orientation differs between high frequency oscillations and N20m current sources in human somatosensory evoked magnetic fields to median nerve stimulation, 41

Park, S.-K., see Kang, T.-C., 29
Pasinetti, G.M., see Ho, L., 1
Pihko, E., Mäkinen, V., Nikouline, V.V., Mäkelä, A.M., Ilmoniemi, R.J., Visual attention to words of native versus later acquired languages: a magnetoencephalographic study in humans, 33
Pisani, A., see Miniaci, M.C., 61
Poduslo, S.E., Yin, X., Chromosome 12 and late-onset Alzheimer's disease, 188
Przuntek, H., see Krüger, R., 191
Puca, F., see de Tommaso, M., 37

Riess, O., see Krüger, R., 191
Roher, A.E., see Beach, T.G., 21
Röhm, D., Klimesch, W., Haider, H., Doppelmayr, M., The role of theta and alpha oscillations for language comprehension in the human electroencephalogram, 137

Sabban, E.L., see Kubovčákova, L., 157
Sarquis, M.S., see Sarubi, J.C., 5
Sarubi, J.C., Bei, H., Adams, E.F., Boson, W.L., Friedman, E., Brandão, K., Kalapothakis, E., Miranda, D., Valle, F.L., Sarquis, M.S., De Marco, L., Clonal composition of human adamantinomatous craniopharyngiomas and somatic mutation analyses of the patched (*PTCH*), Gsα and Gi2α genes, 5
Sasa, M., see Ishihara, K., 194
Sato, H., see Takagi, T., 97
Satoh, H., Kaneda, M., Kaneko, A., Intracellular chloride concentration is higher in rod bipolar cells than in cone bipolar cells of the mouse retina, 161
Schäfers, M., Brinkhoff, J., Neukirchen, S., Marziniak, M., Sommer, C., Combined epineurial therapy with neutralizing antibodies to tumor necrosis factor-alpha and interleukin-1 receptor has an additive effect in reducing neuropathic pain in mice, 113
Schöls, L., see Krüger, R., 191
Schneider, C., Zytnicki, D., Capaday, C., Quantitative evidence for multiple widespread representations of individual muscles in the cat motor cortex, 183
Schwab, C., see Beach, T.G., 21
Sciruicchio, V., see de Tommaso, M., 37
Segu, L., see Aït Amara, D., 25
Seifert, K.M., see Grant, E.R., 9
Seo, M.-O., see Kang, T.-C., 29
Shinkai, T., see Ohmori, O., 17
Shioyama, M., see Kihara, M., 81
Smith, D.M., see Chu, D.Q., 169
Sokoloff, L., see Duelli, R., 101
Sommer, C., see Schäfers, M., 113
Staudt, R., see Duelli, R., 101
Strata, P., see Miniaci, M.C., 61
Su, C.K., see Wu, W.C., 121

Takagi, T., Ando, R., Ohgushi, A., Yamashita, T., Dobashi, E., Hussain-Yusuf, H., Onodera, R., Bungo, T., Sato, H., Furuse, M., Intracerebroventricular injection of pipecolic acid inhibits food intake and induces sleeping-like behaviors in the neonatal chick, 97
Takahashi, M., see Kihara, M., 81
Takakura, S., see Kihara, M., 81
Tanaka, K., see Morita, H., 129
Tempia, F., see Miniaci, M.C., 61
Tsuchiya, Y., see Morita, H., 129
Tsuji, S., see Akamatsu, N., 153

Uozumi, T., see Akamatsu, N., 153

Valle, F.L., see Sarubi, J.C., 5

Wada, N., see Miyata, H., 149
Walker, D.G., see Beach, T.G., 21
Wang, Y., see Wu, W.C., 121
Woitalla, D., see Krüger, R., 191
Won, M.H., see Kang, T.-C., 29
Wu, H.-E., see Mizoguchi, H., 66
Wu, W.C., Wang, Y., Su, C.K., Chai, C.Y., The nNOS/cGMP signal transducing system is involved in the cardiovascular responses induced by activation of NMDA receptors in the rostral ventrolateral medulla of cats, 121

Xiang, Z., see Ho, L., 1

Yaegashi, Y., see Ozaki, I., 41
Yamashita, T., see Takagi, T., 97
Yemul, S., see Ho, L., 1
Yin, X., see Poduslo, S.E., 188
Yoshida, Y., see Nakashima, T., 141

Zhang, W., see Ho, L., 1
Zytnicki, D., see Schneider, C., 183